


IN THE CLAIMS

1. (currently amended) A compound of formula 1



wherein

R¹

(i) is -C₁₋₁₀-alkyl, straight-chain or branched-chain, optionally mono- or polysubstituted by mono-, bi- or tricyclic saturated or mono- or polyunsaturated carbocycles with 3-14 ring members,

wherein the carbocyclic substituents in turn are substituted one or more times by -NO₂ and may optionally be substituted one or more times by -C₁₋₆-alkyl, -OH, -NH₂, -NHC₁₋₆-alkyl, -N(C₁₋₆-alkyl)₂, -NO₂, -CN, -F, -Cl, -Br, -I, -O-C₁₋₆-alkyl, -S-C₁₋₆-alkyl, -SO₃H, -SO₂C₁₋₆-alkyl, -OSO₂C₁₋₆-alkyl, -COOH, -(CO)C₁₋₅-alkyl, -COO-C₁₋₅-alkyl or/and -O(CO)C₁₋₅-alkyl, and wherein the alkyl groups on the carbocyclic substituents in turn may optionally be substituted one or more times by -OH, -SH, -NH₂, -F, -Cl, -Br, -I, -SO₃H or/and -COOH,

R² is hydrogen or -C₁₋₃-alkyl,

R^3 , R^4 and R^5 are hydrogen or a hydroxyl group, wherein at least one of these substituents must be a hydroxyl group,

R^6 and R^7 may be identical or different and are hydrogen, -C₁₋₆-alkyl, -OH, -SH, -NH₂, -NHC₁₋₆-alkyl, -N(C₁₋₆-alkyl)₂, -NO₂, -CN, -SO₃H, -SO₃-C₁₋₆-alkyl, -COOH, -COO-C₁₋₆-alkyl, -O(CO)-C₁₋₅-alkyl, -F, -Cl, -Br, -I, -O-C₁₋₆-alkyl, -S-C₁₋₆-alkyl, -phenyl or -pyridyl, wherein the phenyl or pyridyl substituents in turn may optionally be substituted one or more times by -C₁₋₃-alkyl, -OH, -SH, -NH₂, -NHC₁₋₃-alkyl, -N(C₁₋₃-alkyl)₂, -NO₂, -CN, -SO₃H, -SO₃C₁₋₃-alkyl, -COOH, -COOC₁₋₃-alkyl, -F, -Cl, -Br, -I, -O-C₁₋₃-alkyl, -S-C₁₋₃-alkyl, or/and -O(CO)C₁₋₃-alkyl, and wherein the alkyl substituents in turn may optionally be substituted one or more times by -OH, -SH, -NH₂, -F, -Cl, -Br, -I, -SO₃H, -SO₃C₁₋₃-alkyl, -COOH, -COOC₁₋₃-alkyl, -O-C₁₋₃-alkyl, -S-C₁₋₃-alkyl or/and -O(CO)-C₁₋₃-alkyl,

or a salt salts of the compounds of formula 1.

2. (previously presented) A compound as claimed in claim 1 having at least one asymmetric carbon atom in the D form, the L form and D,L mixtures, and in the case of a plurality of asymmetric carbon atoms also the diastereomeric forms.

3. (previously presented) A compound as claimed in claim 1 wherein R^2 is hydrogen or a methyl group.

4. (previously presented) A compound as claimed in claim 1, wherein $R^3 = -H$, $R^4 = H$ and $R^5 = -OH$.

5. (previously presented) A compound as claimed in claim 1, wherein at least one of R^6 and R^7 is a halogen atom.

6. (previously presented) A compound according to claim 1 selected from the group consisting of:

N-(3,5-dichloro-1-oxopyridin-4-yl)-[7-hydroxy-1-(3-nitrobenzyl)-indol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[7-hydroxy-1-(2-nitrobenzyl)-indol-3-yl]glyoxylamide;

and physiologically tolerated salts thereof.

7 - 13 (canceled)

14. (currently amended) A composition ~~drug product~~ comprising a compound of claim 1 and ~~at least~~ one or more conventional physiologically tolerated carrier, diluent and excipient.

15-17 (canceled)